L Number	Hits	Search Text	DB	Time stamp
_	65613	((computer server workstation) same sensor\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/24 14:05
_	17014	((computer server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/28 14:20
-	31	<pre>((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (parameter))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:34
-	22	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) nearl1 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (parameter)) and (request\$4 nearl1 (parameter data information))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:36
	4	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (parameter)) and (request\$4 near11 (parameter))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:37
_	1391	<pre>(((computer server workstation) same sensor\$4)) and (process\$5 near8 chamber\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/28 13:57
_	689	(((computer server workstation) same sensor\$4)) and (process\$5 near2 chamber\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/24 17:19
-	155	<pre>(((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 near2 chamber\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/24 17:19
-	2	<pre>(((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4) and (ack\$4 acknowledg\$6 (connect\$5 near11 messag\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/25 09:13
-	39	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 10:15
_	96	(parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4)) ((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (data information parameter)) and (request\$4 nearl1 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/25 15:02

				•
-	114	(((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4)	USPAT; EPO; JPO; DERWENT;	2003/03/25 16:58
-	97	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4	IBM_TDB USPAT; EPO; JPO;	2003/03/25
		third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter))	DERWENT; IBM_TDB	15:59
-	48	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/25 15:50
-	113	parameter)) and (request\$4 near11 (parameter data information)) ((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/25 15:52
-	216	nearl1 (parameter data information)) ((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 10:09
-	16	<pre>information parameter)) (((computer server workstation) same sensor\$4) and ((third three) near11 sensor)) and (process\$5 adj chamber\$4) and (measur\$4 near11 (data information parameter))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/25 16:59
-	1757	(process\$5 near2 chamber\$4) and network\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/31 08:55
_	602	(process\$5 near2 chamber\$4) and network\$4 and sensor\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/26 10:07
-	0	<pre>(process\$5 near2 chamber\$4) and network\$4 and (sensor\$4 near11 (ack\$5 acknowledg\$7))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/26 09:23
-	19	(process\$5 near2 chamber\$4) and network\$4 and (sensor\$4 and (ack\$5 acknowledg\$7))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/28 15:06
	11	<pre>(sensor\$4 nearll (mac ip (internet adj protocol\$4) (media adj access) address\$4)) and (process\$5 adj chamber\$4) and (mac ip (internet adj protocol\$4) (media adj access) address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 09:48
_	450	sensor\$4 near11 (ip (internet adj protocol))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/26 09:54
-	19	sensor\$4 same (internet adj protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/26 09:54

_	
	,

_	226	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4	USPAT; EPO; JPO;	2003/03/28 12:19
		third three) near11 sensor) and ((ack\$4	DERWENT;	
		acknowledg\$7) same sensor\$4) and	IBM_TDB	
		((transfer\$5 transmi\$7 send\$4 forward\$4		1
		receiv\$4 retriev\$4) near11 (data		
_	145	information parameter measur\$7)) ((comput\$5 server workstation) same	USPAT;	2003/03/26
-	145	sensor\$4) and ((pluralit\$5 many multipl\$4	EPO; JPO;	10:18
}		third three) nearll sensor) and ((ack\$4	DERWENT;	10.10
		acknowledg\$7) same sensor\$4) and	IBM TDB	
		(sensor\$4 near11 (transfer\$5 transmi\$7	_	
		send\$4 forward\$4 receiv\$4 retriev\$4)		
		nearl1 (data information parameter		
	701	measur\$7))	HCDAM.	2002/02/26
-	781	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4	USPAT; EPO; JPO;	2003/03/26 10:19
		third three) nearll sensor) and ((ack\$4	DERWENT;	10.19
		acknowledg\$7 request\$4) same sensor\$4)	IBM TDB	
		and (sensor\$4 near11 (transfer\$5	_	!
		transmi\$7 send\$4 forward\$4 receiv\$4		
		retriev\$4) near11 (data information		19
	364	parameter measur\$7))	HCDAE	2002/02/26
] -	364	((comput\$5 server workstation) same sensor\$4 same (ack\$4 acknowledg\$7	USPAT; EPO; JPO;	2003/03/26
		request\$4)) and ((pluralit\$5 many	DERWENT;	10.20
		multipl\$4 third three) near11 sensor) and	IBM TDB	
		(sensor\$4 near11 (transfer\$5 transmi\$7		
		send\$4 forward\$4 receiv\$4 retriev\$4)		
		nearl1 (data information parameter		
	,	measur\$7))	110000	2002/02/26
_	1	(((comput\$5 server workstation) same sensor\$4 same (ack\$4 acknowledg\$7	USPAT; EPO; JPO;	2003/03/26
		request\$4)) and ((pluralit\$5 many	DERWENT;	10.27
		multipl\$4 third three) near11 sensor) and	IBM TDB	
		(sensor\$4 near11 (transfer\$5 transmi\$7	_	
		send\$4 forward\$4 receiv\$4 retriev\$4)		
		nearl1 (data information parameter		
	110	measur\$7))) and (chamber near process\$6)	Habam	2002/02/26
-	110	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4	USPAT; EPO; JPO;	2003/03/26
		third three) near11 sensor) and (sensor\$4	DERWENT;	10.20
		near11 (transfer\$5 transmi\$7 send\$4	IBM TDB	
]		forward\$4 receiv\$4 retriev\$4) near11		
		(data information parameter measur\$7))		
		and (chamber near process\$6)		0000400400
-	8	((comput\$5 server workstation) same	USPAT;	2003/03/26
		<pre>sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and (sensor\$4</pre>	EPO; JPO; DERWENT;	10:31
		nearl1 (transfer\$5 transmi\$7 send\$4	IBM TDB	
		forward\$4 receiv\$4 retriev\$4) nearl1		
		(data information parameter measur\$7))		
		and (chamber near process\$6) and (ack\$4		
		acknowledg\$7 request\$4)	a.b.t =	2002/02/25
-	12	(US-6454708-\$ or US-6359264-\$ or	USPAT	2003/03/26
		US-6279724-\$ or US-6054277-\$ or US-6535123-\$ or US-6362737-\$ or		10:46
	ļ	US-6292108-\$ or US-5621662-\$ or		
		US-5432754-\$ or US-5937365-\$ or		
		US-6370448-\$ or US-5831851-\$).did.		
-	112	((comput\$5 server workstation) same	USPAT;	2003/03/27
		sensor\$4) and ((pluralit\$5 many multipl\$4	EPO; JPO;	09:00
		third three) near11 sensor) and ((ack\$4	DERWENT;	
		<pre>acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4)</pre>	IBM_TDB	
		Heatti Selisor54)		!

	110	((comput\$5 server workstation) same	IISDAT.	2003/03/27
-	110	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (data information parameter)) and (request\$4 nearl1 (parameter data information)) and (tabl\$4 databas\$4 (data	USPAT; EPO; JPO; DERWENT; IBM_TDB	09:02
-	123	adj bas\$4)) ((comput\$5 server workstation) same (devic\$4 sensor\$4)) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 09:04
-	153	nearl1 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4)) ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (data information parameter)) and (request\$4 nearl1 (parameter data information)) and (tabl\$4 databas\$4 (data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 10:27
-	48	adj bas\$4)) ((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) near11 sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 10:16
	107	parameter)) and (request\$4 near11 (parameter data information)) ((pluralit\$5 many multipl\$4 third three) near11 sensor) and ((ack\$4 acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) near11 (data information parameter)) and (request\$4 near11 (parameter data	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 10:36
-	140	information)) and (tabl\$4 databas\$4 (data adj bas\$4)) and ((monitor\$4 track\$4) nearl1 (path connect\$6 transmi\$6)) ((pluralit\$5 many multipl\$4 third three) nearl1 sensor) and ((ack\$4 tcp/ip ip mac acknowledg\$7 (connect\$5 near3 messag\$4)) same sensor\$4) and ((transfer\$5 transmi\$7 send\$4 forward\$4 receiv\$4 retriev\$4) nearl1 (data information parameter)) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/27 13:18
-	165	<pre>(request\$4 near11 (parameter data information)) and (tabl\$4 databas\$4 (data adj bas\$4)) and ((monitor\$4 track\$4) near11 (path connect\$6 transmi\$6)) (((computer server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4) near11 sensor)) and (process\$5 adj chamber\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/03/27 13:30
_	24	((comput\$5 server workstation) same sensor\$4) and ((pluralit\$5 many multipl\$4 third three) nearll sensor) and ((ack\$4 acknowledg\$7) same sensor\$4) and (sensor\$4 same ((tabl\$4 database (data adj base)) near6 (transmi\$7 transfer\$6 send\$4 forward\$4 receiv\$5 request\$6)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/28 12:25

	4	Ì
,		J

			TIG D D CO.	1 2002 /02 /29
_	51	((ack\$4 acknowledg\$7) same sensor\$4) and	USPAT;	2003/03/28
		(sensor\$4 same ((tabl\$4 database (data	EPO; JPO;	13:58
		adj base)) near6 (transmi\$7 transfer\$6	DERWENT;	
		send\$4 forward\$4 receiv\$5 request\$6)))	IBM_TDB	
_	16		USPAT;	2003/03/28
		sensor\$4)) and (process\$5 near8	EPO; JPO;	13:58
		chamber\$4) and ((ttl (tim\$4 adj2 liv\$4)	DERWENT;	ļ
		initializ\$7 date dating) near11 sensor\$4)	IBM_TDB	
_	8	((ack\$4 acknowledg\$7) same sensor\$4) and	US-PGPUB	2003/03/28
		(sensor\$4 same ((tabl\$4 database (data		14:00
		adj base)) near6 (transmi\$7 transfer\$6		
		send\$4 forward\$4 receiv\$5 request\$6)))		
_	12		USPAT;	2003/03/28
		sensor\$4)) and (process\$5 near8	EPO; JPO;	14:00
		chamber\$4) and ((ttl (tim\$4 adj2 liv\$4)	DERWENT;	
		initializ\$7 date dating) near11 sensor\$4)	IBM TDB	
		and (databas\$4 tabl\$4 (data adj bas\$4))	_	
_	429		USPAT;	2003/03/28
		sensor\$4) and ((pluralit\$5 multipl\$4)	EPO; JPO;	14:32
		nearl1 sensor) and ((initializ\$7 date	DERWENT;	
1		tim\$4 dating) near5 sensor\$4 near5	IBM TDB	
		(transmi\$7 transfer\$6 send\$4 forward\$4	-	
		receiv\$5 request\$6))		
	1	((process\$5 near2 chamber\$4) near11	USPAT;	2003/03/28
	_	sensor\$4) and ((initializ\$7 date tim\$4	EPO; JPO;	15:10
		dating) near11 sensor\$4 near11 (transmi\$7	DERWENT;	
	1	transfer\$6 send\$4 forward\$4 receiv\$5	IBM TDB	
1		request\$6) near11 (computer server		
		request; o / nearl1 (computer server workstation))	İ	
	<u> </u>	WOIKStation)		l